

Package ‘amt’

December 3, 2021

Type Package

Title Animal Movement Tools

Version 0.1.5

Description

Manage and analyze animal movement data. The functionality of 'amt' includes methods to calculate home ranges, track statistics (e.g. step lengths, speed, or turning angles), prepare data for fitting habitat selection analyses, and simulation of space-use from fitted step-selection functions.

License GPL-3

Encoding UTF-8

LazyData true

URL <https://github.com/jmsigner/amt>

Depends R (>= 3.5),

Imports checkmate, circular, ctm, dplyr (>= 0.7.0), fitdistrplus, lubridate, magrittr, methods, purrr, raster, Rdpack, Rcpp (>= 0.12.7), rgeos, rlang, sf, sp, survival, tibble, tidyr (>= 1.0.0)

Suggests adehabitatLT, adehabitatMA, broom, ggplot2, ggraph, geosphere, KernSmooth, FNN, leaflet, moveHMM, move, sessioninfo, spacetime, trajectories, knitr, rmarkdown, tinytest, tidygraph, maptools

LinkingTo Rcpp

RoxygenNote 7.1.2

RdMacros Rdpack

VignetteBuilder knitr

NeedsCompilation yes

Author Johannes Signer [aut, cre],
Brian Smith [ctb],
Bjoern Reineking [ctb],
Ulrike Schlaegel [ctb],
John Fieberg [ctb],
Josh O'Brien [ctb],

Bernardo Niebuhr [ctb],
 Scott LaPoint [dct]

Maintainer Johannes Signer <jsigner@gwdg.de>

Repository CRAN

Date/Publication 2021-12-03 18:00:02 UTC

R topics documented:

amt-package	3
amt_fisher	4
amt_fisher_covar	5
as_sf_lines	5
as_sf_points	6
as_track	6
available_distr	7
bandwidth_pi	8
bandwidth_ref	9
bbox	9
centroid	10
coercion	11
convert_angles	12
coords	13
cum_ud	13
deer	14
diff	14
dispersal_kernel	15
distributions	16
distr_name	17
extent	18
extract_covariates	19
filter_min_n_burst	21
fit_clogit	21
fit_ctmm	22
fit_distr	23
fit_logit	24
from_to	24
get_crs	25
get_distr	26
habitat_kernel	26
has_crs	28
hr_akde	29
hr_area	31
hr_isopleths	32
hr_kde_lscv	33
hr_kde_ref_scaled	34
hr_overlaps	35
hr_overlap_feature	36

hr_to_sf	36
hr_ud	37
inspect	38
log_rss	39
movement_metrics	42
nsd	43
od	44
params	45
plot.hr	46
plot.log_rss	47
plot_sl	48
random_numbers	49
random_points	50
random_steps	51
range	53
remove_capture	54
sh	54
sh_forest	55
simulate_ud_from_dk	55
simulate_xy	56
site_fidelity	56
speed	57
steps	58
summarize_sampling_rate	60
time_of_day	61
track	62
track_align	64
track_resample	64
transform_coords	65
trast	66
update_distr_man	67
update_sl_distr	68
Index	72

Description

Manage and analyze animal movement data. The functionality of 'amt' includes methods to calculate home ranges, track statistics (e.g. step lengths, speed, or turning angles), prepare data for fitting habitat selection analyses, and simulation of space-use from fitted step-selection functions.

Author(s)

Maintainer: Johannes Signer <jsigner@gwdg.de>

Other contributors:

- Brian Smith [contributor]
- Bjoern Reineking [contributor]
- Ulrike Schlaegel [contributor]
- John Fieberg [contributor]
- Josh O'Brien [contributor]
- Bernardo Niebuhr [contributor]
- Scott LaPoint [data contributor]

See Also

Useful links:

- <https://github.com/jmsigner/amt>

amt_fisher

GPS tracks from four fishers

Description

This file includes spatial data from 4 fisher (**Pekania pennanti**). These location data were collected via a 105g GPS tracking collar (manufactured by E-obs GmbH) and programmed to record the animal's location every 10 minutes, continuously. The data re projected in NAD84 (epsg: 5070). The data usage is permitted for exploratory purposes. For other purposes please get in contact (Scott LaPoint).

Usage

amt_fisher

Format

A tibble with 14230 rows and 5 variables:

x_ the x-coordinate

y_ the y-coordinate

t_ the timestamp

sex the sex of the animal

id the id of the animal

name the name of the animal

Source

<https://www.datarepository.movebank.org/handle/10255/move.330>

References

For more information, contact Scott LaPoint sdlapoint@gmail.com

amt_fisher_covar *Environmental data for fishers*

Description

A list with three entries that correspond to the following three layer: land use, elevation and population density.

Usage

```
amt_fisher_covar
```

Format

A list with three where each entry is a RasterLayer.

Source

https://lpdaac.usgs.gov/dataset_discovery/aster/aster_products_table
http://dup.esrin.esa.it/page_globcover.php
<http://sedac.ciesin.columbia.edu/data/collection/gpw-v3/sets/browse>

as_sf_lines *Export track to lines*

Description

Exports a track to (multi)lines from the sf package.

Usage

```
as_sf_lines(x, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.

Value

A tibble with a sfc-column

as_sf_points	<i>Coerces a track to points</i>
--------------	----------------------------------

Description

Coerces a track to points from the sf package.

Usage

```
as_sf_points(x, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.

Value

A data data.frame with a sfc-column

as_track	<i>Coerce to track</i>
----------	------------------------

Description

Coerce other classes (currently implemented: SpatialPoints) to a track_xy.

Usage

```
as_track(x, ...)

## S3 method for class 'SpatialPoints'
as_track(x, ...)

## S3 method for class 'sfc_POINT'
as_track(x, ...)

## S3 method for class 'steps_xyt'
as_track(x, ...)

## S3 method for class 'data.frame'
as_track(x, ...)
```

Arguments

`x` Object to be converted to a track.
`...` Further arguments, none implemented.

Value

An object of class `track_xy(t)`

Examples

```
xy <- sp::SpatialPoints(cbind(c(1, 3, 2, 1), c(3, 2, 2, 1)))
as_track(xy)
```

`available_distr` *Display available distributions for step lengths and turn angles.*

Description

Display available distributions for step lengths and turn angles.

Usage

```
available_distr(which_dist = "all", names_only = FALSE, ...)
```

Arguments

`which_dist` `[char(1)="all"]{"all", "ta", "sl"}`
Should all distributions be returned, or only distributions for turn angles (`ta`) or step lengths (`sl`).

`names_only` `[logical(1)=FALSE]`
Indicates if only the names of distributions should be returned.

`...` none implemented.

Value

A tibble with the purpose of the distribution (turn angles [`ta`] or step length [`sl`]) and the distribution name.

bandwidth_pi	hr_kde_pi wraps KernSmooth::dpik to select bandwidth for kernel density estimation the plug-in-the-equation method in two dimensions.
--------------	---

Description

This function calculates bandwidths for kernel density estimation by wrapping KernSmooth::dpik. If correct = TRUE, the bandwidth is transformed with power 5/6 to correct for using an univariate implementation for bivariate data (Gitzen et. al 2006).

Usage

```
hr_kde_pi(x, ...)

## S3 method for class 'track_xy'
hr_kde_pi(x, rescale = "none", correct = TRUE, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
rescale	[character(1)] Rescaling method for reference bandwidth calculation. Must be one of "unitvar", "xvar", or "none".
correct	Logical scalar that indicates whether or not the estimate should be correct for the two dimensional case.

Value

The bandwidth, the standardization method and correction.

References

Gitzen, R. A., Millspaugh, J. J., & Kernohan, B. J. (2006). Bandwidth selection for fixed-kernel analysis of animal utilization distributions. *Journal of Wildlife Management*, 70(5), 1334-1344.

See Also

KernSmooth::dpik

bandwidth_ref	<i>Reference bandwidth</i>
---------------	----------------------------

Description

Calculate the reference bandwidth for kernel density home-range range estimates.

Usage

```
hr_kde_ref(x, ...)

## S3 method for class 'track_xy'
hr_kde_ref(x, rescale = "none", ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
rescale	[character(1)] Rescaling method for reference bandwidth calculation. Must be one of "unit-var", "xvar", or "none".

Value

The estimated bandwidth in x and y direction.

bbox	<i>Get bounding box of a track.</i>
------	-------------------------------------

Description

Get bounding box of a track.

Usage

```
bbox(x, ...)

## S3 method for class 'track_xy'
bbox(x, spatial = TRUE, buffer = NULL, sf = FALSE, ...)

## S3 method for class 'steps_xy'
bbox(x, spatial = TRUE, buffer = NULL, sf = FALSE, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
spatial	[logical(1)=TRUE] Whether or not to return a SpatialPolygons-object or not.
buffer	[numeric(0)=NULL]{NULL, >0} An optional buffer of the bounding box.
sf	[logical(1)=FALSE] If TRUE a simple feature polygon is returned.

Value

If `spatial = FALSE` a named vector of length four with the extent of the bounding box. Otherwise a `SpatialPolygon` or a simple freature polygon with the bounding box.

Examples

```
data(deer)
bbox(deer)
bbox(deer, spatial = FALSE)
bbox(deer, buffer = 100, spatial = FALSE)

# For steps
deer %>% steps_by_burst %>% bbox(spatial = FALSE)
deer %>% steps_by_burst %>% bbox(buffer = 100, spatial = FALSE)
deer %>% steps_by_burst %>% random_steps %>% bbox(spatial = FALSE)
```

centroid

Calculate the centroid of a track.

Description

Calculate the centroid of a track.

Usage

```
centroid(x, ...)

## S3 method for class 'track_xy'
centroid(x, spatial = FALSE, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
spatial	[logical(1)=FALSE] Whether or not to return a SpatialPoints-object.

Value

The centroid of a track as numeric vector if `spatial = FALSE`, otherwise as `SpatialPoints`.

Examples

```
data(deer)
centroid(deer)
```

 coercion

Coerce a track to other formats.

Description

Several other packages provides methods to analyze movement data, and `amt` provides coercion methods to some packages.

Usage

```
as_sp(x, ...)

## S3 method for class 'steps_xy'
as_sp(x, end = TRUE, ...)

as_move(x, ...)

## S3 method for class 'track_xy'
as_move(x, id = "id", ...)

as_ltraj(x, ...)

## S3 method for class 'track_xy'
as_ltraj(x, id = "animal_1", ...)

## S3 method for class 'track_xy'
as_ltraj(x, ...)

as_telemetry(x, ...)

## S3 method for class 'track_xy'
as_telemetry(x, ...)

as_moveHMM(x, ...)

## S3 method for class 'track_xy'
as_moveHMM(x, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
end	[logical(1)=TRUE] For steps, should the end or start points be used?
id	[numeric,character,factor] Animal id(s).

Value

An object of the class to which coercion is performed to.

convert_angles	<i>Converts angles to radians</i>
----------------	-----------------------------------

Description

Converts angles to radians

Usage

```
as_rad(x)
as_degree(x)
```

Arguments

x	[numeric] Angles in degrees or rad.
---	--

Value

A numeric vector with the converted angles.

Examples

```
as_rad(seq(-180, 180, 30))

# The default unit of turning angles is rad.
data(deer)
deer %>% steps() %>% mutate(ta_ = as_degree(ta_))
```

coords	<i>Coordinates of a track.</i>
--------	--------------------------------

Description

Coordinates of a track.

Usage

```
coords(x, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.

Value

[tibble]
The coordinates.

Examples

```
data(deer)
coords(deer)
```

cum_ud	<i>Calculate a cumulative UD</i>
--------	----------------------------------

Description

Calculate the cumulative utilization distribution (UD).

Usage

```
hr_cud(x, ...)

## S3 method for class 'RasterLayer'
hr_cud(x, ...)
```

Arguments

x	[RasterLayer] Containing the Utilization Distribution (UD).
...	Further arguments, none implemented.

Value

[RasterLayer]
The cumulative UD.

Note

This function is typically used to obtain isopleths.

deer	<i>Relocations of 1 red deer</i>
------	----------------------------------

Description

826 GPS relocations of one red deer from northern Germany. The data is already resampled to a regular time interval of 6 hours and the coordinate reference system is transformed to epsg:3035.

Usage

deer

Format

A track_xyt
x_ the x-coordinate
y_ the y-coordinate
t_ the timestamp
burst_ the burst a particular points belongs to.

Source

Verein für Wildtierforschung Dresden und Göttingen e.V.

diff	<i>Difference in x and y</i>
------	------------------------------

Description

Difference in x and y coordinates.

Usage

diff_x(x, ...)
diff_y(x, ...)

Arguments

x	A track_xyt.
...	Further arguments, none implemented.

Value

Numeric vector

dispersal_kernel	<i>Create a dispersal kernel</i>
------------------	----------------------------------

Description

Create a dispersal kernel

Usage

```
dispersal_kernel(
  formula,
  coefs,
  habitat = NULL,
  other.vars = NULL,
  start,
  max.dist,
  init.dir = amt::as_rad(45),
  standardize = TRUE,
  raster = TRUE,
  stop = 0
)
```

Arguments

formula	[formula] The formula for the dispersal kernel.
coefs	[named numeric]{>1} Coefficients for the terms in the formula. Names of the coefficients must match the name of the terms.
habitat	[RasterLayer] The habitat matrix / landscape.
other.vars	[data.frame = NULL] Possible other covariates.
start	[numeric(2)] Coordinates of the start position.
max.dist	[numeric(1)] The maximum distance of the dispersal kernel.

<code>init.dir</code>	[numeric(1)] The initial direction in rad.
<code>standardize</code>	[logical(1) = TRUE] Should the result be standardized.
<code>raster</code>	[logical(1) = TRUE] Should a RasterLayer be returned.
<code>stop</code>	[integer(1)=1]{0,1} What happens when the animal steps out of the landscape.

Value

A list with the following entries

- `formula`: The formula used to construct the dispersal kernel.
- `coefs`: The selection coefficients.
- `habitat`: Habitat covariates used to construct the dispersal kernel.
- `other.var`: Other (time) varying covariates used to construct the dispersal kernel.
- `start`: The start position.
- `max.dist`: The maximum distance of the dispersal kernel.
- `init.dir`: The initial direction of the dispersal kernel.
- `standardize`: Whether or not the dispersal kernel was standardized.
- `raster`: Should a RasterLayer be returned.
- `stop`: What happens when the animal steps outside the landscape.
- `prep_dk`: Metrics for each cell in the dispersal kernel (e.g., step length, direction, ...)
- `dispersal_kernel`: A RasterLayer if `raster = TRUE` or a tibble of the dispersal kernel.

distributions

Functions create statistical distributions

Description

`make_distributions` creates a distribution suitable for using it with integrated step selection functions

Usage

```
make_distribution(name, params, vcov = NULL, ...)
```

```
make_exp_distr(rate = 1)
```

```
make_hnorm_distr(sd = 1)
```

```
make_lnorm_distr(meanlog = 0, sdlog = 1)
```



```
make_unif_distr(min = -pi, max = pi)
```

```
make_vonmises_distr(kappa = 1, vcov = NULL)
```

```
make_gamma_distr(shape = 1, scale = 1, vcov = NULL)
```

Arguments

name	[char(1)] Short name of distribution. See <code>available_distr()</code> for all currently implemented distributions.
params	[list] A named list with parameters of the distribution.
vcov	[matrix] A matrix with variance and covariances.
...	none implemented.
rate	[double(1)>0] The rate of the exponential distribution.
sd	[double(1)>0] The standard deviation of the half-normal distribution.
meanlog	[double(1)>0] The standard deviation of the half-normal distribution.
sdlog	[double(1)>0] The standard deviation of the half-normal distribution.
min	[double(1)] The minimum of the uniform distribution.
max	[double(1)] The minimum of the uniform distribution.
kappa	[double(1)>=0] Concentration parameter of the von Mises distribution.
shape, scale	[double(1)>=0] Shape and scale of the Gamma distribution

Value

A list of class `amt_distr` that contains the name (`name`) and parameters (`params`) of a distribution.

distr_name	<i>Name of step-length distribution and turn-angle distribution</i>
------------	---

Description

Name of step-length distribution and turn-angle distribution

Usage

```

sl_distr_name(x, ...)

## S3 method for class 'random_steps'
sl_distr_name(x, ...)

## S3 method for class 'fit_clogit'
sl_distr_name(x, ...)

ta_distr_name(x, ...)

ta_distr_name(x, ...)

## S3 method for class 'random_steps'
ta_distr_name(x, ...)

## S3 method for class 'fit_clogit'
ta_distr_name(x, ...)

```

Arguments

x	Random steps or fitted model
...	None implemented.

Value

Character vector of length 1.

extent	<i>Extent of a track</i>
--------	--------------------------

Description

Obtain the extent of a track in x y or both directions

Usage

```

extent_x(x, ...)

extent_y(x, ...)

extent_both(x, ...)

extent_max(x, ...)

```

Arguments

x [track_xy, track_xyt, steps]
 Either a track created with mk_track or track, or steps.

... Further arguments, none implemented.

Value

Numeric vector with the extent.

extract_covariates *Extract covariate values*

Description

Extract the covariate values at relocations, or at the beginning or end of steps.

Usage

```
extract_covariates(x, ...)

## S3 method for class 'track_xy'
extract_covariates(x, covariates, ...)

## S3 method for class 'random_points'
extract_covariates(x, covariates, ...)

## S3 method for class 'steps_xy'
extract_covariates(x, covariates, where = "end", ...)

extract_covariates_along(x, ...)

## S3 method for class 'steps_xy'
extract_covariates_along(x, covariates, ...)

extract_covariates_var_time(x, ...)

## S3 method for class 'track_xyt'
extract_covariates_var_time(
  x,
  covariates,
  when = "any",
  max_time,
  name_covar = "time_var_covar",
  ...
)
```

```
## S3 method for class 'steps_xyt'
extract_covariates_var_time(
  x,
  covariates,
  when = "any",
  max_time,
  name_covar = "time_var_covar",
  where = "end",
  ...
)
```

Arguments

x	[track_xy, track_xyt, steps] Either a track created with <code>mk_track</code> or <code>track</code> , or <code>steps</code> .
...	Further arguments, none implemented.
covariates	[RasterLayer, RasterStack, RasterBrick] The (environmental) covariates. For <code>extract_covariates_var_time</code> the argument <code>covariates</code> need to have a z-column (i.e. the time stamp).
where	[character(1)="end"] {"start", "end", "both"} For <code>steps</code> this determines if the covariate values should be extracted at the beginning or the end of a step. or end.
when	[character(1)="any"] {"any", "before", "after"} Specifies for <code>extract_covariates_var_time</code> whether to look before, after or in both direction (any) for the temporally closest environmental raster.
max_time	[Period(1)] The maximum time difference between a relocation and the corresponding raster. If no rasters are within the specified max. distance NA is returned.
name_covar	[character(1)="time_var_covar"] The name of the new column.

Details

`extract_covariates_along` extracts the covariates along a straight line between the start and the end point of a (random) step. It returns a list, which in most cases will have to be processed further.

Value

A tibble with additional columns for covariate values.

Examples

```
data(deer)
data(sh_forest)
mini_deer <- deer[1:20, ]
mini_deer %>% extract_covariates(sh_forest)
mini_deer %>% steps %>% extract_covariates(sh_forest)
mini_deer %>% steps %>% extract_covariates(sh_forest, where = "start")
```

```
# Illustration of extracting covariates along the a step
mini_deer %>% steps() %>% random_steps() %>%
  extract_covariates(sh_forest) %>% # extract at the endpoint
  mutate(for_path = extract_covariates_along(., sh_forest)) %>%
  # 1 = forest, lets calc the fraction of forest along the path
  mutate(for_per = purrr::map_dbl(for_path, ~ mean(. == 1)))
```

filter_min_n_burst	<i>Filter bursts by number of relocations</i>
--------------------	---

Description

Only retain bursts with a minimum number (= min_n) of relocations.

Usage

```
filter_min_n_burst(x, ...)

## S3 method for class 'track_xy'
filter_min_n_burst(x, min_n = 3, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
min_n	[numeric(1)=3] Indicating the minimum number of relocations (=fixes per burst).

Value

A tibble of class track_xy(t).

fit_clogit	<i>Fit a conditional logistic regression</i>
------------	--

Description

This function is a wrapper around `survival::clogit`, making it usable in a piped workflow.

Usage

```
fit_clogit(data, formula, more = NULL, summary_only = FALSE, ...)

fit_ssf(data, formula, more = NULL, summary_only = FALSE, ...)

fit_issf(data, formula, more = NULL, summary_only = FALSE, ...)
```

Arguments

data	[data.frame] The data used to fit a model.
formula	[formula] The model formula.
more	[list] Optional list that is passed on the output.
summary_only	[logical(1)=FALSE] If TRUE only a broom::tidy summary of the model is returned.
...	Additional arguments, passed to survival::clogit.

Value

A list with the following entries

- model: The model output.
- sl_: The step length distribution.
- ta_: The turn angle distribution.

fit_ctmm

Fit a continuous time movement model with ctmm

Description

Fit a continuous time movement model with ctmm

Usage

```
fit_ctmm(x, model, uere = NULL, ...)
```

Arguments

x	[track_xyt] A track created with make_track that includes time.
model	[character(1)="bm"]{"iid", "bm", "ou", "ouf", "auto"} The autocorrelation model that should be fit to the data. iid corresponds to uncorrelated independent data, bm to Brownian motion, ou to an Ornstein-Uhlenbeck process, ouf to an Ornstein-Uhlenbeck forage process. auto will use model selection with AICc to find the best model.
uere	User Equivalent Range Error, see ?ctmm::uere for more details.
...	Additional parameters passed to ctmm::ctmm.fit or ctmm::ctmm.select for model = "auto"

Value

An object of class ctmm from the package ctmm.

References

C. H. Fleming, J. M. Calabrese, T. Mueller, K.A. Olson, P. Leimgruber, W. F. Fagan, “From fine-scale foraging to home ranges: A semi-variance approach to identifying movement modes across spatiotemporal scales”, *The American Naturalist*, 183:5, E154-E167 (2014).

Examples

```
data(deer)
mini_deer <- deer[1:20, ]
m1 <- fit_ctmm(mini_deer, "iid")
summary(m1)
```

fit_distr

Fit distribution to data

Description

Wrapper to fit a distribution to data. Currently implemented distributions are the exponential distribution (exp), the gamma distribution (gamma) and the von Mises distribution (vonmises).

Usage

```
fit_distr(x, dist_name, na.rm = TRUE)
```

Arguments

x	[numeric(>1)] The observed data.
dist_name	[character(1)]{"exp", "gamma", "unif", "vonmises"} The name of the distribution.
na.rm	[logical(1)=TRUE] Indicating whether NA should be removed before fitting the distribution.

Value

An `amt_distr` object, which consists of a list with the name of the distribution and its parameters (saved in `params`).

Examples

```
set.seed(123)
dat <- rexp(1e3, 2)
fit_distr(dat, "exp")
```

fit_logit	<i>Fit logistic regression</i>
-----------	--------------------------------

Description

This function is a wrapper around `stats::glm` for a piped workflows.

Usage

```
fit_logit(data, formula, ...)
```

```
fit_rsf(data, formula, ...)
```

Arguments

data	[data.frame] The data used to fit a model.
formula	[formula] The model formula.
...	Further arguments passed to <code>stats::glm</code> .

Value

A list with the model output.

from_to	<i>Duration of tracks</i>
---------	---------------------------

Description

Function that returns the start (from), end (to), and the duration (from_to) of a track.

Usage

```
from_to(x, ...)
```

```
## S3 method for class 'track_xyt'  
from_to(x, ...)
```

```
from(x, ...)
```

```
## S3 method for class 'track_xyt'  
from(x, ...)
```

```
to(x, ...)
```



```
## S3 method for class 'track_xyct'  
to(x, ...)
```

Arguments

x	[track_xy, track_xyct] A track created with make_track.
...	Further arguments, none implemented.

Value

A vector of class POSIXct.

get_crs	<i>Obtains the Coordinate Reference Systems</i>
---------	---

Description

Returns the proj4string of an object.

Usage

```
get_crs(x, ...)
```

Arguments

x	[any] Object to check.
...	Further arguments, none implemented.

Value

The proj4string of the CRS.

Examples

```
data(deer)  
get_crs(deer)
```

get_distr	<i>Obtain the step length and/or turn angle distributions from random steps or a fitted model.</i>
-----------	--

Description

Obtain the step length and/or turn angle distributions from random steps or a fitted model.

Usage

```
sl_distr(x, ...)

## S3 method for class 'random_steps'
sl_distr(x, ...)

## S3 method for class 'fit_clogit'
sl_distr(x, ...)

ta_distr(x, ...)

## S3 method for class 'random_steps'
ta_distr(x, ...)

## S3 method for class 'fit_clogit'
ta_distr(x, ...)
```

Arguments

x	Random steps or fitted model
...	None implemented.

Value

An amt distribution

habitat_kernel	<i>Simulate UD from fitted SSF</i>
----------------	------------------------------------

Description

Function to obtain a habitat kernel from a fitted (i)SSF.

Usage

```

habitat_kernel(coef, resources, exp = TRUE)

movement_kernel(scale, shape, template, quant = 0.99)

simulate_ud(movement_kernel, habitat_kernel, start, n = 100000L)

simulate_tud(movement_kernel, habitat_kernel, start, n = 100, n_rep = 5000)

```

Arguments

coef	[list] Vector with coefficients, not yet implemented.
resources	[RasterLayer, RasterStack] The resources.
exp	A logical scalar, indicating whether or not the resulting habitat kernel should be exponentiated. This is usually TRUE.
scale, shape	[numeric](1) Scale and scale parameter of the gamma distribution of step lengths.
template	[RasterLayer, RasterStack] A raster serving as template for the simulations.
quant	A numeric scalar, quantile of the step-length distribution that is the maximum movement distance.
movement_kernel	[RasterLayer] The movement kernel.
habitat_kernel	[RasterLayer] The habitat kernel.
start	[numeric(2)] Starting point of the simulation.
n	[integer(1)=1e5] The number of simulation steps.
n_rep	[integer(1)=5e3]{>0} The number of times the animal walks of the final position. The mean of all replicates is returned.

Details

`movement_kernel()`: calculates a movement kernel from a fitted (i)SSF. The method is currently only implemented for the gamma distribution.

The habitat kernel is calculated by multiplying resources with their corresponding coefficients from the fitted (i)SSF.

`simulate_ud()`: simulates a utilization distribution (UD) from a fitted Step-Selection Function.

`simulate_tud()`: Is a convenience wrapper around `simulate_ud` to simulate transition UD's (i.e., starting at the same position many times and only simulate for a short time).

Value

A RasterLayer.

Note

This functions are still experimental and should be used with care. If in doubt, please contact the author.

Author(s)

Johannes Signer (jmsigner@gmail.com)

References

Avgar T, Potts JR, Lewis MA, Boyce MS (2016). “Integrated step selection analysis: bridging the gap between resource selection and animal movement.” *Methods in Ecology and Evolution*.
Signer J, Fieberg J, Avgar T (2017). “Estimating Utilization Distributions from fitted Step-Selection Functions.” *Ecosphere*.

has_crs

Check for Coordinate Reference Systems (CRS)

Description

Checks if an object has a CRS.

Usage

```
has_crs(x, ...)
```

Arguments

x	[any] Object to check.
...	Further arguments, none implemented.

Value

Logic vector of length 1.

Examples

```
data(deer)  
has_crs(deer)
```

hr_akde	<i>Home ranges</i>
---------	--------------------

Description

Functions to calculate animal home ranges from a track_xy*. hr_mcp, hr_kde, and hr_locoh calculate the minimum convex polygon, kernel density, and local convex hull home range respectively.

Usage

```
hr_akde(x, ...)  
  
## S3 method for class 'track_xyt'  
hr_akde(  
  x,  
  model = fit_ctmm(x, "iid"),  
  keep.data = TRUE,  
  trast = make_trast(x),  
  levels = 0.95,  
  ...  
)  
  
hr_kde(x, ...)  
  
## S3 method for class 'track_xy'  
hr_kde(  
  x,  
  h = hr_kde_ref(x),  
  trast = make_trast(x),  
  levels = 0.95,  
  keep.data = TRUE,  
  ...  
)  
  
hr_locoh(x, ...)  
  
## S3 method for class 'track_xy'  
hr_locoh(  
  x,  
  n = 10,  
  type = "k",  
  levels = 0.95,  
  keep.data = TRUE,  
  rand_buffer = 1e-05,  
  ...  
)
```

```
hr_mcp(x, ...)
```

```
hr_od(x, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with <code>make_track</code> .
...	Further arguments, none implemented.
model	A continuous time movement model. This can be fitted either with <code>ctmm:ctmm.fit</code> or <code>fit_ctmm</code> .
keep.data	[logic(2)] Should the original tracking data be included in the estimate?
trast	[RasterLayer] A template raster for kernel density home-ranges.
levels	[numeric] The isopleth levels used for calculating home ranges. Should be $0 < \text{level} < 1$.
h	[numeric(2)] The bandwidth for kernel density estimation.
n	[integer(1)] The number of neighbors used when calculating local convex hulls.
type	k, r or a. Type of LoCoH.
rand_buffer	[numeric(1)] Random buffer to avoid polygons with area 0 (if coordinates are numerically identical).

Value

A hr-estimate.

References

Worton, B. J. (1989). Kernel methods for estimating the utilization distribution in home-range studies. *Ecology*, 70(1), 164-168. C. H. Fleming, W. F. Fagan, T. Mueller, K. A. Olson, P. Leimgruber, J. M. Calabrese, "Rigorous home-range estimation with movement data: A new autocorrelated kernel-density estimator", *Ecology*, 96:5, 1182-1188 (2015).

Fleming, C. H., Fagan, W. F., Mueller, T., Olson, K. A., Leimgruber, P., & Calabrese, J. M. (2016). Estimating where and how animals travel: an optimal framework for path reconstruction from autocorrelated tracking data. *Ecology*, 97(3), 576-582.

Examples

```
data(deer)
mini_deer <- deer[1:100, ]

# MCP -----
mcp1 <- hr_mcp(mini_deer)
```

```

hr_area(mcp1)

# calculated MCP at different levels
mcp1 <- hr_mcp(mini_deer, levels = seq(0.3, 1, 0.1))
hr_area(mcp1)

# CRS are inherited
get_crs(mini_deer)
mcps <- hr_mcp(mini_deer, levels = c(0.5, 0.95, 1))
has_crs(mcps)
# Local Convex Hull (LoCoH) -----
locoh1 <- hr_locoh(mini_deer)
hr_area(locoh1)

# calculated Locoh at different levels
locoh <- hr_locoh(mini_deer, levels = seq(0.3, 1, 0.1))
hr_area(locoh)

# Kernel density estimaiton (KDE) -----
kde1 <- hr_kde(mini_deer)
hr_area(kde1)
get_crs(kde1)

# akde
data(deer)
mini_deer <- deer[1:20, ]
ud1 <- hr_akde(mini_deer) # uses an iid ctmm
ud2 <- hr_akde(mini_deer, model = fit_ctmm(deer, "ou")) # uses an OU ctmm

# od

data(deer)
ud1 <- hr_od(deer) # uses an iid ctmm
ud2 <- hr_od(deer, model = fit_ctmm(deer, "ou")) # uses an OU ctmm

```

hr_area

Home-range area

Description

Obtain the area of a home-range estimate, possible at different isopleth levels.

Usage

```

hr_area(x, ...)

## S3 method for class 'hr'
hr_area(x, units = FALSE, ...)

```

```
## S3 method for class 'RasterLayer'
hr_area(x, level = 0.95, ...)
```

```
## S3 method for class 'akde'
hr_area(x, units = FALSE, ...)
```

Arguments

x	An object of class hr
...	Further arguments, none implemented.
units	[logic(1)] Should areas be returned as units? If FALSE areas are returned as numeric values.
level	The level at which the area will be calculated.

Value

A tibble with the home-range level and the area.

hr_isopleths	<i>Home-range isopleths</i>
--------------	-----------------------------

Description

Obtain the isopleths of a home-range estimate, possible at different isopleth levels.

Usage

```
hr_isopleths(x, ...)

## S3 method for class 'RasterLayer'
hr_isopleths(x, level, ...)

## S3 method for class 'mcp'
hr_isopleths(x, ...)

## S3 method for class 'locoh'
hr_isopleths(x, ...)

## S3 method for class 'hr_prob'
hr_isopleths(x, ...)

## S3 method for class 'akde'
hr_isopleths(x, conf.level = 0.95, ...)
```


Arguments

x	An object of class hr
...	Further arguments, none implemented.
level	[numeric] The isopleth levels used for calculating home ranges. Should be $0 < \text{level} < 1$.
conf.level	The confidence level for isopleths for aKDE.

Value

A tibble with the home-range level and a simple feature columns with the isopleth as multipolygon.

hr_kde_lscv	<i>Least square cross validation bandwidth</i>
-------------	--

Description

Use least square cross validation (lscv) to estimate bandwidth for kernel home-range estimation.

Usage

```
hr_kde_lscv(
  x,
  range = do.call(seq, as.list(c(hr_kde_ref(x) * c(0.1, 2), length.out = 100))),
  which_min = "global",
  rescale = "none",
  trast = raster(as_sp(x), nrow = 100, ncol = 100)
)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
range	numeric vector with different candidate h values.
which_min	A character indicating if the global or local minimum should be searched for.
rescale	[character(1)] Rescaling method for reference bandwidth calculation. Must be one of "unitvar", "xvar", or "none".
trast	A template raster.

Details

hr_kde_lscv calculates least square cross validation bandwidth. This implementation is based on Seaman and Powell (1996). If whichMin is "global" the global minimum is returned, else the local minimum with the largest candidate bandwidth is returned.

Value

vector of length two.

References

Seaman, D. E., & Powell, R. A. (1996). An evaluation of the accuracy of kernel density estimators for home range analysis. *Ecology*, 77(7), 2075-2085.

hr_kde_ref_scaled *Select a bandwidth for Kernel Density Estimation*

Description

Use two dimensional reference bandwidth to select a bandwidth for kernel density estimation. Find the smallest value for bandwidth (h) that results in n polygons (usually n=1) contiguous polygons at a given level.

Usage

```
hr_kde_ref_scaled(
  x,
  range = hr_kde_ref(x)[1] * c(0.01, 1),
  trast = make_trast(x),
  num.of.parts = 1,
  levels = 0.95,
  tol = 0.1,
  max.it = 500L
)
```

Arguments

x	A track_xy*.
range	Numeric vector, indicating the lower and upper bound of the search range. If range is too large with regard to trast, the algorithm will fail.
trast	A template RasterLayer.
num.of.parts	Numeric numeric scalar, indicating the number of contiguous polygons desired. This will usually be one.
levels	The home range level.
tol	Numeric scalar, indicating which difference of to stop.
max.it	Numeric scalar, indicating the maximum number of acceptable iterations.

Details

This implementation uses a bisection algorithm to find the smallest value for the kernel bandwidth within range that produces an home-range isopleth at level consisting of n polygons. Note, no difference is made between the two dimensions.

Value

list with the calculated bandwidth, exit status and the number of iteration.

References

Kie, John G. "A rule-based ad hoc method for selecting a bandwidth in kernel home-range analyses." *Animal Biotelemetry* 1.1 (2013): 1-12.

hr_overlaps

Methods to calculate home-range overlaps

Description

Methods to calculate the overlap of two or more home-range estimates.

Usage

```
hr_overlap(x, ...)

## S3 method for class 'hr'
hr_overlap(x, y, type = "hr", conditional = FALSE, ...)

## S3 method for class 'list'
hr_overlap(
  x,
  type = "hr",
  conditional = FALSE,
  which = "consecutive",
  labels = NULL,
  ...
)
```

Arguments

x, y	A home-range estimate
...	Further arguments, none implemented.
type	[character](1) Type of index, should be one of hr, phr, vi, ba, udoi, or hd.
conditional	[logical](1) Whether or not conditional UDs are used. If TRUE levels from that were used to estimate home ranges will be used.
which	[character = "consecutive"] Should only consecutive overlaps be calculated or all combinations?
labels	[character=NULL] Labels for different instances. If NULL (the default) numbers will be used.

Value

data.frame with the isopleth level and area in units of the coordinate reference system.

hr_overlap_feature	<i>Calculate the overlap between a home-range estimate and a polygon</i>
--------------------	--

Description

Sometimes the percentage overlap between a spatial polygon and a home-range is required.

Usage

```
hr_overlap_feature(x, sf, direction = "hr_with_feature", feature_names = NULL)
```

Arguments

x	A home-range estimate.
sf	An object of class sf containing polygons
direction	The direction.
feature_names	optional feature names

Value

A tibble

hr_to_sf	<i>Convert home ranges to sfc</i>
----------	-----------------------------------

Description

Convert a list column with many home-range estimates to a tibble with a geometry column (as used by the sf-package).

Usage

```
hr_to_sf(x, ...)

## S3 method for class 'tbl_df'
hr_to_sf(x, col, ...)
```

Arguments

x	A tibble with a list column with individual home ranges.
...	Additional columns that should be transferred to the new tibble.
col	The column where the home

Value

A data.frame with a simple feature column (from the sf) package.

Examples

```
data("amt_fisher")
hr <- amt_fisher %>% nest(data = -id) %>%
  mutate(hr = map(data, hr_mcp), n = map_int(data, nrow)) %>%
  hr_to_sf(hr, id, n)
```

```
hr <- amt_fisher %>% nest(data = -id) %>%
  mutate(hr = map(data, hr_kde), n = map_int(data, nrow)) %>%
  hr_to_sf(hr, id, n)
```

hr_ud

Obtain the utilization distribution of a probabilistic home range

Description

Obtain the utilization distribution of a probabilistic home range

Usage

```
hr_ud(x, ...)
```

Arguments

x	[hr_prob] The home-range estimate
...	Further arguments, none implemented.

Value

RasterLayer

inspect	<i>Inspect a track</i>
---------	------------------------

Description

Provides a very basic interface to leaflet and lets the user inspect relocations on an interactive map.

Usage

```
inspect(x, ...)  
  
## S3 method for class 'track_xy'  
inspect(x, popup = NULL, cluster = TRUE, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
popup	[character(nrow(x))] Optional labels for popups.
cluster	[logical(1)] If TRUE points are clustered at lower zoom levels.

Value

An interactive leaflet map.

Note

Important, x requires a valid coordinate reference system.

See Also

leaflet::leaflet()

Examples

```
data(sh)  
x <- track(x = sh$x, y = sh$y, crs = 31467)  
  
inspect(x)  
inspect(x, cluster = FALSE)  
inspect(x, popup = 1:nrow(x), cluster = FALSE)
```

log_rss	<i>Calculate log-RSS for a fitted model</i>
---------	---

Description

Calculate log-RSS(x1, x2) for a fitted RSF or (i)SSF

Usage

```
log_rss(object, ...)

## S3 method for class 'glm'
log_rss(object, x1, x2, ci = NA, ci_level = 0.95, n_boot = 1000, ...)

## S3 method for class 'fit_clogit'
log_rss(object, x1, x2, ci = NA, ci_level = 0.95, n_boot = 1000, ...)
```

Arguments

object	[fit_logit, fit_clogit] A fitted RSF or (i)SSF model.
...	Further arguments, none implemented.
x1	[data.frame] A data.frame representing the habitat values at location x_1. Must contain all fitted covariates as expected by predict().
x2	[data.frame] A 1-row data.frame representing the single hypothetical location of x_2. Must contain all fitted covariates as expected by predict().
ci	[character] Method for estimating confidence intervals around log-RSS. NA skips calculating CIs. Character string "se" uses standard error method and "boot" uses empirical bootstrap method.
ci_level	[numeric] Level for confidence interval. Defaults to 0.95 for a 95% confidence interval.
n_boot	[integer] Number of bootstrap samples to estimate confidence intervals. Ignored if ci != "boot".

Details

This function assumes that the user would like to compare relative selection strengths from at least one proposed location (x1) to exactly one reference location (x2).

The objects object\$model, x1, and x2 will be passed to predict(). Therefore, the columns of x1 and x2 must match the terms in the model formula exactly.

Value

Returns a list of class `log_rss` with four entries:

- `df`: A data.frame with the covariates and the `log_rss`
- `x1`: A data.frame with covariate values for `x1`.
- `x2`: A data.frame with covariate values for `x2`.
- `formula`: The formula used to fit the model.

Author(s)

Brian J. Smith

References

- Avgar, T., Lele, S.R., Keim, J.L., and Boyce, M.S.. (2017). Relative Selection Strength: Quantifying effect size in habitat- and step-selection inference. *Ecology and Evolution*, 7, 5322–5330.
- Fieberg, J., Signer, J., Smith, B., & Avgar, T. (2021). A "How to" guide for interpreting parameters in habitat-selection analyses. *Journal of Animal Ecology*, 90(5), 1027-1043.

See Also

See Avgar *et al.* 2017 for details about relative selection strength.

Default plotting method available: [plot.log_rss\(\)](#)

Examples

```
# RSF -----
# Fit an RSF, then calculate log-RSS to visualize results.

# Load packages
library(ggplot2)

#Load data
data("amt_fisher")

# Prepare data for RSF
rsf_data <- amt_fisher %>%
  filter(name == "Lupe") %>%
  make_track(x_, y_, t_) %>%
  random_points() %>%
  extract_covariates(amt_fisher_covar$elevation) %>%
  extract_covariates(amt_fisher_covar$popden) %>%
  extract_covariates(amt_fisher_covar$landuse) %>%
  mutate(lu = factor(landuse))

# Fit RSF
m1 <- rsf_data %>%
```



```

fit_rsf(case_ ~ lu + elevation + popden)

# Calculate log-RSS
# data.frame of x1s
x1 <- data.frame(lu = factor(50, levels = levels(rsf_data$lu)),
                 elevation = seq(90, 120, length.out = 100),
                 popden = mean(rsf_data$popden))
# data.frame of x2 (note factor levels should be same as model data)
x2 <- data.frame(lu = factor(50, levels = levels(rsf_data$lu)),
                 elevation = mean(rsf_data$elevation),
                 popden = mean(rsf_data$popden))
# Calculate (use se method for confidence interval)
logRSS <- log_rss(object = m1, x1 = x1, x2 = x2, ci = "se")

# Plot
ggplot(logRSS$ddf, aes(x = elevation_x1, y = log_rss)) +
  geom_hline(yintercept = 0, linetype = "dashed", color = "gray") +
  geom_ribbon(aes(ymin = lwr, ymax = upr), fill = "gray80") +
  geom_line() +
  xlab(expression("Elevation " * (x[1]))) +
  ylab("log-RSS") +
  ggtitle(expression("log-RSS" * (x[1] * ", " * x[2]))) +
  theme_bw()

# SSF -----
# Fit an SSF, then calculate log-RSS to visualize results.

#Prepare data for SSF
ssf_data <- deer %>%
  steps_by_burst() %>%
  random_steps(n = 15) %>%
  extract_covariates(sh_forest) %>%
  mutate(forest = factor(sh_forest, levels = 1:2,
                        labels = c("forest", "non-forest")),
         cos_ta = cos(ta_),
         log_sl = log(sl_))

# Fit an SSF (note model = TRUE necessary for predict() to work)
m2 <- ssf_data %>%
  fit_clogit(case_ ~ forest + strata(step_id_), model = TRUE)

# Calculate log-RSS
# data.frame of x1s
x1 <- data.frame(forest = factor(c("forest", "non-forest")))
# data.frame of x2
x2 <- data.frame(forest = factor("forest", levels = levels(ssf_data$forest)))
# Calculate
logRSS <- log_rss(object = m2, x1 = x1, x2 = x2, ci = "se")

# Plot
ggplot(logRSS$ddf, aes(x = forest_x1, y = log_rss)) +
  geom_hline(yintercept = 0, linetype = "dashed", color = "gray") +
  geom_errorbar(aes(ymin = lwr, ymax = upr), width = 0.25) +

```

```
geom_point(size = 3) +
xlab(expression("Forest Cover " * (x[1]))) +
ylab("log-RSS") +
ggtitle(expression("log-RSS" * (x[1] * ", " * x[2]))) +
theme_bw()
```

movement_metrics

Movement metrics

Description

Functions to calculate metrics such as straightness, mean squared displacement (msd), intensity use, sinuosity, mean turn angle correlation (tac) of a track.

Usage

```
straightness(x, ...)
```

```
cum_dist(x, ...)
```

```
tot_dist(x, ...)
```

```
msd(x, ...)
```

```
intensity_use(x, ...)
```

```
sinuosity(x, ...)
```

```
tac(x, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.

Details

The intensity use is calculated by dividing the total movement distance (tot_dist) by the square of the area of movement (= minimum convex polygon 100).

Value

A numeric vector of length one.

References

- Abrahms B, Seidel DP, Dougherty E, Hazen EL, Bograd SJ, Wilson AM, McNutt JW, Costa DP, Blake S, Brashares JS, others (2017). “Suite of simple metrics reveals common movement syndromes across vertebrate taxa.” *Movement ecology*, **5**(1), 12.
- Almeida PJ, Vieira MV, Kajin M, Forero-Medina G, Cerqueira R (2010). “Indices of movement behaviour: conceptual background, effects of scale and location errors.” *Zoologia (Curitiba)*, **27**(5), 674–680.
- Swihart RK, Slade NA (1985). “Testing for independence of observations in animal movements.” *Ecology*, **66**(4), 1176–1184.

Examples

```
data(deer)

tot_dist(deer)
cum_dist(deer)
straightness(deer)
msd(deer)
intensity_use(deer)
```

nsd	<i>Net squared displacement (nsd)</i>
-----	---------------------------------------

Description

Calculate the net squared displacement (i.e., the squared distance from the first location of a track) for a track.

Usage

```
nsd(x, ...)
```

Arguments

x	A track_xyt.
...	Further arguments, none implemented.

Value

Numeric vector.

 od *Occurrence Distribution*

Description

od is a wrapper around `ctmm::occurrence`. See `help(ctmm::occurrence)` for more details. `rolling_od` estimates occurrence distributions for a subset of a track.

Usage

```
rolling_od(x, ...)

## S3 method for class 'track_xyt'
rolling_od(
  x,
  trast,
  model = fit_ctmm(x, "bm"),
  res.space = 10,
  res.time = 10,
  n.points = 5,
  show.progress = TRUE,
  ...
)

od(x, ...)

## S3 method for class 'track_xyt'
od(x, trast, model = fit_ctmm(x, "bm"), res.space = 10, res.time = 10, ...)
```

Arguments

x	[track_xyt] A track created with <code>make_track</code> that includes time.
...	Further arguments, none implemented.
trast	[RasterLayer] A template raster for the extent and resolution of the result.
model	[An output of <code>fit_ctmm</code>] The autocorrelation model that should be fit to the data. <code>bm</code> corresponds to Brownian motion, <code>ou</code> to an Ornstein-Uhlenbeck process, <code>ouf</code> to an Ornstein-Uhlenbeck forage process.
res.space	[numeric(1)=10] Number of grid point along each axis, relative to the average diffusion (per median timestep) from a stationary point. See also <code>help(ctmm::occurrence)</code> .
res.time	[numeric(1)=10] Number of temporal grid points per median timestep.

n.points	[numeric(1)=5] This argument is only relevant for rolling_od and specifies the window size for the od estimation.
show.progress	[logical(1)=TRUE] Indicates if a progress bar is used.

References

Fleming, C. H., Fagan, W. F., Mueller, T., Olson, K. A., Leimgruber, P., & Calabrese, J. M. (2016). Estimating where and how animals travel: an optimal framework for path reconstruction from autocorrelated tracking data. *Ecology*.

Examples

```
data(deer)
mini_deer <- deer[1:100, ]
trast <- make_trast(mini_deer)
md <- od(mini_deer, trast = trast)
raster::plot(md)

# rolling ud
xx <- rolling_od(mini_deer, trast)
```

params

Get parameters from a (fitted) distribution

Description

Get parameters from a (fitted) distribution

Usage

```
sl_distr_params(x, ...)

## S3 method for class 'random_steps'
sl_distr_params(x, ...)

## S3 method for class 'fit_clogit'
sl_distr_params(x, ...)

ta_distr_params(x, ...)

## S3 method for class 'random_steps'
ta_distr_params(x, ...)

## S3 method for class 'fit_clogit'
ta_distr_params(x, ...)
```

Arguments

x	[amt_distr] A (fitted) distribution
...	None

Value

A list with the parameters of the distribution.

Examples

```
data(deer)
d <- deer %>% steps() %>% random_steps()
sl_distr_params(d)
ta_distr_params(d)
```

plot.hr

Plot a home-range estimate

Description

Plot a home-range estimate

Usage

```
## S3 method for class 'hr'
plot(x, add.relocations = TRUE, ...)
```

Arguments

x	A home-range estimate.
add.relocations	logical(1) indicates if a relocations should be added to the plot.
...	Further arguments, none implemented.

Value

A plot

plot.log_rss	<i>Plot a log_rss object</i>
--------------	------------------------------

Description

Default plot method for an object of class `log_rss`

Usage

```
## S3 method for class 'log_rss'
plot(x, x_var1 = "guess", x_var2 = "guess", ...)
```

Arguments

<code>x</code>	[log_rss] An object returned by the function <code>log_rss()</code> .
<code>x_var1</code>	[character] The variable to plot on the x-axis. A string of either "guess" (default – see Details) or the variable name.
<code>x_var2</code>	[character] A second predictor variable to include in the plot. Either "guess" (default – see Details), NA, or the variable name.
<code>...</code>	[any] Additional arguments to be passed to <code>\link{plot}()</code> . <i>Not currently implemented.</i>

Details

This function provides defaults for a basic plot, but we encourage the user to carefully consider how to represent the patterns found in their habitat selection model.

The function `log_rss()` is meant to accept a user-defined input for `x1`. The structure of `x1` likely reflects how the user intended to visualize the results. Therefore, it is possible to "guess" which covariate the user would like to see on the x-axis by choosing the column from `x1` with the most unique values. Similarly, if there is a second column with multiple unique values, that could be represented by a color. Note that if the user needs to specify `x_var1`, then we probably cannot guess `x_var2`. Therefore, if the user specifies `x_var1 != "guess" & x_var2 == "guess"`, the function will return an error.

This function uses integers to represent colors, and therefore the user can change the default colors by specifying a custom `palette()` before calling the function.

Value

A plot.

Examples

```
# Load data
data("amt_fisher")
data("amt_fisher_covar")
```

```

# Prepare data for RSF
rsf_data <- amt_fisher %>%
  filter(name == "Leroy") %>%
  make_track(x_, y_, t_) %>%
  random_points() %>%
  extract_covariates(amt_fisher_covar$landuse) %>%
  mutate(lu = factor(landuse))

# Fit RSF
m1 <- rsf_data %>%
  fit_rsf(case_ ~ lu)

# Calculate log-RSS
# data.frame of x1s
x1 <- data.frame(lu = sort(unique(rsf_data$lu)))
# data.frame of x2 (note factor levels should be same as model data)
x2 <- data.frame(lu = factor(140,
  levels = levels(rsf_data$lu)))
# Calculate
logRSS <- log_rss(object = m1, x1 = x1, x2 = x2)

# Plot
plot(logRSS)

```

plot_sl

Plot step-length distribution

Description

Plot step-length distribution

Usage

```
plot_sl(x, ...)
```

```
## S3 method for class 'fit_clogit'
```

```
plot_sl(x, n = 1000, upper_quantile = 0.99, plot = TRUE, ...)
```

```
## S3 method for class 'random_steps'
```

```
plot_sl(x, n = 1000, upper_quantile = 0.99, plot = TRUE, ...)
```

Arguments

x	[fit_clogit random_steps] A fitted step selection or random steps.
...	Further arguments, none implemented.

n	[numeric(1)=1000]{>0} The number of breaks between 0 and upper_quantile.
upper_quantile	[numeric(1)=0.99]{0-1} The quantile until where the distribution should be plotted. Typically this will be 0.95 or 0.99.
plot	[logical(1)=TRUE] Indicates if a plot should be drawn or not.

Value

A plot of the step-length distribution.

Examples

```
data(deer)

# with random steps
deer %>% steps_by_burst %>% random_steps %>% plot_sl
deer %>% steps_by_burst %>% random_steps %>% plot_sl(upper_quantile = 0.5)

# with fitted ssf
deer %>% steps_by_burst %>% random_steps %>%
  fit_ssf(case_ ~ sl_ + strata(step_id_)) %>% plot_sl
```

random_numbers	<i>Sample random numbers</i>
----------------	------------------------------

Description

Sample random numbers from a distribution created within the amt package.

Usage

```
random_numbers(x, n = 100, ...)
```

Arguments

x	[amt_distr] A distribution object.
n	[integer(1)=100]{>0} The number of random draws.
...	none implemented.

Value

A numeric vector.

random_points	<i>Generate random points</i>
---------------	-------------------------------

Description

Functions to generate random points within an animals home range. This is usually the first step for investigating habitat selection via Resource Selection Functions (RSF).

Usage

```
random_points(x, ...)

## S3 method for class 'hr'
random_points(x, n = 100, type = "random", presence = NULL, ...)

## S3 method for class 'sf'
random_points(x, n = 100, type = "random", presence = NULL, ...)

## S3 method for class 'SpatialPolygons'
random_points(x, n = 100, type = "random", presence = NULL, ...)

## S3 method for class 'track_xy'
random_points(x, level = 1, hr = "mcp", n = nrow(x) * 10, type = "random", ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	[any] None implemented.
n	[integer(1)] The number of random points.
type	[character(1)] Argument passed to sp::spsample type. The default is random.
presence	[track] The presence points, that will be added to the result.
level	[numeric(1)] Home-range level of the minimum convex polygon, used for generating the background samples.
hr	[character(1)] The home range estimator to be used. Currently only MCP is implemented.

Value

A tibble with the observed and random points and a new column case_ that indicates if a point is observed (case_ = TRUE) or random (case_ = FALSE).

Note

For objects of class `track_xyt` the timestamp (`t_`) is lost.

Examples

```

data(deer)

# track_xyt -----
# Default settings
rp1 <- random_points(deer)

plot(rp1)

trast <- raster(bbox(deer, buffer = 5000), res = 30)
rp3 <- random_points(deer, hr = "kde", trast = trast) # we need a larger template raster

plot(rp3)

# Only one random point for each observed point
rp <- random_points(deer, factor = 1)
plot(rp)

# Within a home range -----
hr <- hr_mcp(deer, level = 1)

# 100 random point within the home range
rp <- random_points(hr, n = 100)
plot(rp)

# 100 regular point within the home range
rp <- random_points(hr, n = 100, type = "regular")
plot(rp)
# 100 hexagonal point within the home range
rp <- random_points(hr, n = 100, type = "hexagonal")
plot(rp)

```

random_steps

Generate Random Steps

Description

Function to generate a given number of random steps for each observed step.

Usage

```

random_steps(x, ...)

## S3 method for class 'numeric'
random_steps(
  x,
  n_control = 10,
  angle = 0,
  rand_sl = random_numbers(make_exp_distr(), n = 1e+05),
  rand_ta = random_numbers(make_unif_distr(), n = 1e+05),
  ...
)

## S3 method for class 'steps_xy'
random_steps(
  x,
  n_control = 10,
  sl_distr = fit_distr(x$sl_, "gamma"),
  ta_distr = fit_distr(x$ta_, "vonmises"),
  rand_sl = random_numbers(sl_distr, n = 1e+05),
  rand_ta = random_numbers(ta_distr, n = 1e+05),
  include_observed = TRUE,
  ...
)

```

Arguments

x	Steps.
...	Further arguments, none implemented.
n_control	[integer(1)=10]{>1} The number of control steps paired with each observed step.
angle	[numeric(1) = 0]{-pi < rel_angle < pi} Angle for the first step.
rand_sl	[numeric] Numeric vector with random step lengths an animal can make. This will usually be random numbers drawn from a suitable distribution (e.g., gamma or exponential).
rand_ta	[numeric] Numeric vector with relative turning angles an animal can make. This will usually be random numbers drawn from a suitable distribution (e.g., von Mises or uniform).
sl_distr	[amt_distr] The step-length distribution.
ta_distr	[amt_distr] The turn-angle distribution.

```
include_observed
  [logical(1) = TRUE]
  Indicates if observed steps are to be included in the result.
```

Value

A tibble of class random_steps.

range	<i>Geographic range</i>
-------	-------------------------

Description

The range that in either x, y or both directions, that a track covers.

Usage

```
range_x(x, ...)

## S3 method for class 'track_xy'
range_x(x, ...)

range_y(x, ...)

## S3 method for class 'track_xy'
range_y(x, ...)

range_both(x, ...)

## S3 method for class 'track_xy'
range_both(x, ...)
```

Arguments

```
x          [track_xy, track_xyt]
           A track created with make_track.

...        Further arguments, none implemented.
```

Value

Numeric vector with the range.

remove_capture	<i>Removes Capture Effects</i>
----------------	--------------------------------

Description

Removing relocations at the beginning and/or end of a track, that fall within a user specified period.

Usage

```
remove_capture_effect(x, ...)

## S3 method for class 'track_xyt'
remove_capture_effect(x, start, end, ...)
```

Arguments

x	An object of class track_xyt.
...	Further arguments, none implemented.
start	A lubirdate::Period, indicating the time period to be removed at the beginning of the track.
end	A lubirdate::Period, indicating the time period to be removed at the end of the track.

Value

A tibble without observations that fall within the period of the capture effect.

sh	<i>Relocations of one Red Deer</i>
----	------------------------------------

Description

1500 GPS relocations of one red deer from northern Germany.

Usage

```
sh
```

Format

A data frame with 1500 rows and 4 variables:

x_epsg31467 the x-coordinate

y_epsg31467 the y-coordinate

day the day of the relocation

time the hour of the relocation

Source

Verein für Wildtierforschung Dresden und Göttingen e.V.

sh_forest

Forest cover

Description

Forest cover for the home range of one red deer in northern Germany.

Usage

sh_forest

Format

A RasterLayer

1 forest

2 non-forest

Source

JRC

References

A. Pekkariinen, L. Reithmaier, P. Strobl (2007): Pan-European Forest/Non-Forest mapping with Landsat ETM+ and CORINE Land Cover 2000 data.

simulate_ud_from_dk

Simulate a UD from a dispersal kernel

Description

Simulate a UD from a dispersal kernel

Usage

```
simulate_ud_from_dk(obj, n = 1000, other.vars = NULL)
```

Arguments

obj A dispersal kernel

n Number of time steps

other.vars other covariates for each time step.

Value

A raster layer.

simulate_xy	<i>Simulate a trajectory</i>
-------------	------------------------------

Description

Simulate a trajectory

Usage

```
simulate_xy(obj, n = 100, other.vars = NULL)
```

Arguments

obj	A dispersal kernel.
n	Number of time steps.
other.vars	Other covariates (for each time step).

Value

A tibble with the coordinates of the simulated path.

site_fidelity	<i>Test for site fidelity of animal movement.</i>
---------------	---

Description

Calculates two indices (mean squared displacement and linearity) to test for site fidelity. Significance testing is done by permuting step lengths and drawing turning angles from a uniform distribution.

Usage

```
site_fidelity(x, ...)

## S3 method for class 'steps_xy'
site_fidelity(x, n = 100, alpha = 0.05, ...)
```

Arguments

x	A track
...	None implemented
n	Numeric scalar. The number of simulated trajectories.
alpha	Numeric scalar. The alpha value used for the bootstrapping.

Value

A list of length 4. `msd_dat` and `li_dat` is the mean square distance and linearity for the real data. `msd_sim` and `li_sim` are the mean square distances and linearities for the simulated trajectories.

References

Spencer, S. R., Cameron, G. N., & Swihart, R. K. (1990). Operationally defining home range: temporal dependence exhibited by hispid cotton rats. *Ecology*, 1817-1822.

Examples

```
# real data

data(deer)
ds <- deer %>% steps_by_burst()
site_fidelity(ds)
```

speed

Speed

Description

Obtain the speed of a track.

Usage

```
speed(x, ...)

## S3 method for class 'track_xyt'
speed(x, append_na = TRUE, ...)
```

Arguments

<code>x</code>	A <code>track_xyt</code> .
<code>...</code>	Further arguments, none implemented.
<code>append_na</code>	[logical(1)=TRUE] Should an NA be appended at the end.

Value

[numeric]
The speed in m/s.

 steps

Functions to create and work with steps

Description

step_lengths can be use to calculate step lengths of a track. direction_abs and direction_rel calculate the absolute and relative direction of steps. steps converts a track_xy* from a point representation to a step representation and automatically calculates step lengths and relative turning angles.

Usage

```
direction_abs(x, ...)
```

```
## S3 method for class 'track_xy'
```

```
direction_abs(
  x,
  full_circle = FALSE,
  zero_dir = "E",
  clockwise = FALSE,
  append_last = TRUE,
  lonlat = FALSE,
  ...
)
```

```
direction_rel(x, ...)
```

```
## S3 method for class 'track_xy'
```

```
direction_rel(x, lonlat = FALSE, append_last = TRUE, zero_dir = "E", ...)
```

```
step_lengths(x, ...)
```

```
## S3 method for class 'track_xy'
```

```
step_lengths(x, lonlat = FALSE, append_last = TRUE, ...)
```

```
steps_by_burst(x, ...)
```

```
## S3 method for class 'track_xyt'
```

```
steps_by_burst(x, lonlat = FALSE, keep_cols = NULL, ...)
```

```
steps(x, ...)
```

```
## S3 method for class 'track_xy'
```

```
steps(x, lonlat = FALSE, keep_cols = NULL, ...)
```

```
## S3 method for class 'track_xyt'
```

```
steps(x, lonlat = FALSE, keep_cols = NULL, diff_time_units = "auto", ...)
```

Arguments

<code>x</code>	[<code>track_xy</code> , <code>track_xyt</code>] A track created with <code>make_track</code> .
<code>...</code>	Further arguments, none implemented
<code>full_circle</code>	[<code>logical(1)=FALSE</code>] If TRUE angles are returned between 0 and 2π , otherwise angles are between $-\pi$ and π .
<code>zero_dir</code>	[<code>character(1)='E'</code>] Indicating the zero direction. Must be either N, E, S, or W.
<code>clockwise</code>	[<code>logical(1)=FALSE</code>] Should angles be calculated clock or anti-clockwise?
<code>append_last</code>	[<code>logical(1)=TRUE</code>] If TRUE an NA is appended at the end of all angles.
<code>lonlat</code>	[<code>logical(1)=TRUE</code>] Should geographical or planar coordinates be used? If TRUE geographic distances are calculated.
<code>keep_cols</code>	[<code>character(1)=NULL</code>]{ <code>'start'</code> , <code>'end'</code> , <code>'both'</code> } Should columns with attribute information be transferred to steps? If <code>keep_cols = 'start'</code> the attributes from the starting point are use, otherwise the columns from the end points are used.
<code>diff_time_units</code>	[<code>character(1)='auto'</code>] The unit for time differences, see <code>?difftime</code> .

Details

`directions_*`() returns NA for 0 step lengths.

`step_lengths` calculates the step lengths between points a long the path. The last value returned is NA, because no observed step is 'started' at the last point. If `lonlat = TRUE`, `step_lengths()` wraps `raster::pointDistance()`.

Value

[`numeric`]
For `step_lengths()` and `direction_*` a numeric vector.
[`data.frame`]
For `steps` and `steps_by_burst`, containing the steps.

Examples

```
xy <- tibble(
  x = c(1, 4, 8, 8, 12, 12, 8, 0, 0, 4, 2),
  y = c(0, 0, 0, 8, 12, 12, 12, 12, 8, 4, 2))
trk <- make_track(xy, x, y)

# append last
direction_abs(trk, append_last = TRUE)
```

```

direction_abs(trk, append_last = FALSE)

# degrees
direction_abs(trk) %>% as_degree

# full circle or not: check
direction_abs(trk, full_circle = TRUE)
direction_abs(trk, full_circle = FALSE)
direction_abs(trk, full_circle = TRUE) %>% as_degree()
direction_abs(trk, full_circle = FALSE) %>% as_degree()

# direction of 0
direction_abs(trk, full_circle = TRUE, zero_dir = "N")
direction_abs(trk, full_circle = TRUE, zero_dir = "E")
direction_abs(trk, full_circle = TRUE, zero_dir = "S")
direction_abs(trk, full_circle = TRUE, zero_dir = "W")

# clockwise or not
direction_abs(trk, full_circle = TRUE, zero_dir = "N", clockwise = FALSE)
direction_abs(trk, full_circle = TRUE, zero_dir = "N", clockwise = TRUE)

# Bearing (i.e. azimuth): only for lon/lat
direction_abs(trk, full_circle = FALSE, zero_dir = "N", lonlat = FALSE, clockwise = TRUE)
direction_abs(trk, full_circle = FALSE, zero_dir = "N", lonlat = TRUE, clockwise = TRUE)

```

```
summarize_sampling_rate
```

Returns a summary of sampling rates

Description

Returns a summary of sampling rates

Usage

```

summarize_sampling_rate(x, ...)

## S3 method for class 'track_xyt'
summarize_sampling_rate(
  x,
  time_unit = "auto",
  summarize = TRUE,
  as_tibble = TRUE,
  ...
)

summarize_sampling_rate_many(x, ...)

```

```
## S3 method for class 'track_xyt'
summarize_sampling_rate_many(x, cols, time_unit = "auto", ...)
```

Arguments

x	A track_xyt.
...	Further arguments, none implemented.
time_unit	[character(1) = "auto"] Which time unit will be used.
summarize	A logical. If TRUE a summary is returned, otherwise raw sampling intervals are returned.
as_tibble	A logical. Should result be returned as tibble or as table.
cols	Columns used for grouping.

Value

Depending on summarize and as_tibble, a vector, table or tibble.

Examples

```
data(deer)
amt::summarize_sampling_rate(deer)

data(amt_fisher)
# Add the month
amt_fisher %>% mutate(yday = lubridate::yday(t_)) %>%
summarize_sampling_rate_many(c("id", "yday"))
```

time_of_day	<i>Time of the day when a fix was taken</i>
-------------	---

Description

A convenience wrapper around `mapprools::sunriset` and `mapprools::crepuscule` to extract if a fix was taken during day or night (optionally also include dawn and dusk).

Usage

```
time_of_day(x, ...)

## S3 method for class 'track_xyt'
time_of_day(x, solar.dep = 6, include.crepuscule = FALSE, ...)

## S3 method for class 'steps_xyt'
time_of_day(x, solar.dep = 6, include.crepuscule = FALSE, where = "end", ...)
```

Arguments

x	[track_xy,steps_xy] A track or steps.
...	Further arguments, none implemented.
solar.dep	[numeric(1,n)=6] The angle of the sun below the horizon in degrees. Passed to <code>maptools::crepuscule</code> .
include.crepuscule	[logical(1)=TRUE] Should dawn and dusk be included.
where	[character(1)="end"]{"start", "end", "both"} For steps, should the start, end or both time points be used?

Value

A tibble with an additional column `tod_` that contains the time of the day for each relocation.

Examples

```
data(deer)
deer %>% time_of_day()
deer %>% steps_by_burst %>% time_of_day()
deer %>% steps_by_burst %>% time_of_day(where = "start")
deer %>% steps_by_burst %>% time_of_day(where = "end")
deer %>% steps_by_burst %>% time_of_day(where = "both")
```

track	<i>Create a track_*</i>
-------	-------------------------

Description

Constructor to create a track, the basic building block of the `amt` package. A track is usually created from a set of x and y coordinates, possibly time stamps, and any number of optional columns, such as `id`, `sex`, `age`, etc.

Usage

```
mk_track(
  tbl,
  .x,
  .y,
  .t,
  ...,
  crs = NA_crs_,
  order_by_ts = TRUE,
  check_duplicates = FALSE,
  all_cols = FALSE,
```

```

    verbose = FALSE
  )

make_track(
  tbl,
  .x,
  .y,
  .t,
  ...,
  crs = NA_crs_,
  order_by_ts = TRUE,
  check_duplicates = FALSE,
  all_cols = FALSE,
  verbose = FALSE
)

track(x, y, t, ..., crs = NULL)

```

Arguments

<code>tbl</code>	[data.frame] The data.frame from which a track should be created.
<code>.x, .y, .t</code>	[expression(1)] Unquoted variable names of columns containing the x and y coordinates, and optionally a time stamp.
<code>...</code>	[expression] Additional columns from <code>tbl</code> to be used in a track. Columns should be provided in the form of <code>key = val</code> (e.g., for <code>ids</code> this may look like <code>this id = c(1, 1, 1, 2, 2, 2</code> for three points for <code>ids</code> 1 and 2 each).
<code>crs</code>	[crs] An optional coordinate reference system of the points. Usually just the <code>epsg</code> code is sufficient.
<code>order_by_ts</code>	[logical(1)] Should relocations be ordered by time stamp, default is <code>TRUE</code> .
<code>check_duplicates</code>	[logical(1)=FALSE] Should it be checked if there are duplicated time stamp, default is <code>FALSE</code> .
<code>all_cols</code>	[logical(1)=FALSE] Should all columns be carried over to the track object, default is <code>FALSE</code> .
<code>verbose</code>	[logical(1)=FALSE] Inform when tracks are created.
<code>x, y</code>	[numeric] The x and y coordinates.
<code>t</code>	[POSIXct] The time stamp.

Value

If `t` was provided an object of class `track_xyt` is returned otherwise a `track_xy`.

<code>track_align</code>	<i>Selects relocations that fit a new time series</i>
--------------------------	---

Description

Functions to only selects relocations that can be aligned with a new time series (within some tolerance).

Usage

```
track_align(x, ...)

## S3 method for class 'track_xyt'
track_align(x, nt, tol, ...)
```

Arguments

<code>x</code>	A track.
<code>...</code>	Further arguments, none implemented.
<code>nt</code>	The new time trajectory.
<code>tol</code>	The tolerance.

Value

A `track_xyt`.

<code>track_resample</code>	<i>Resample track</i>
-----------------------------	-----------------------

Description

Function to resample a track at a predefined sampling rate within some tolerance.

Usage

```
track_resample(x, ...)

## S3 method for class 'track_xyt'
track_resample(x, rate = hours(2), tolerance = minutes(15), start = 1, ...)
```


Arguments

x	A track_xyt.
...	Further arguments, none implemented.
rate	A lubridate Period, that indicates the sampling rate.
tolerance	A lubridate Period, that indicates the tolerance of deviations of the sampling rate.
start	A integer scalar, that gives the relocation at which the sampling rate starts.

Value

A resampled track_xyt.

transform_coords	<i>Transform CRS</i>
------------------	----------------------

Description

Transforms the CRS for a track.

Usage

```
transform_coords(x, ...)

## S3 method for class 'track_xy'
transform_coords(x, crs_to, crs_from, ...)

transform_crs(x, ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
crs_to	[crs(1)] Coordinate reference system the data should be transformed to, see sf::st_crs.
crs_from	[crs(1)] Coordinate reference system the data are currently in, see sf::sf_crs. If crs_from is missing, the crs-attribute of the track is used.

Value

A track with transformed coordinates.

See Also

sf::st_transform

Examples

```
data(deer)
get_crs(deer)

# project to geographical coordinates (note the CRS is taken automatically from the object deer).
d1 <- transform_coords(deer, crs_to = 4326)
```

trast	<i>Create a template raster layer</i>
-------	---------------------------------------

Description

For some home-range estimation methods (e.g., KDE) a template raster is needed. This functions helps to quickly create such a template raster.

Usage

```
make_trast(x, ...)

## S3 method for class 'track_xy'
make_trast(x, factor = 1.5, res = max(c(extent_max(x)/100, 1e-09)), ...)
```

Arguments

x	[track_xy, track_xyt] A track created with make_track.
...	Further arguments, none implemented.
factor	[numeric(1)=1.5]{>= 1} Factor by which the extent of the relocations is extended.
res	[numeric(1)] Resolution of the output raster.

Value

A RasterLayer without values.

update_distr_man	<i>Manually update amt_distr</i>
------------------	----------------------------------

Description

Functions to update amt_distr from iSSF coefficients

Usage

```
update_gamma(dist, beta_sl, beta_log_sl)
update_exp(dist, beta_sl)
update_hnorm(dist, beta_sl_sq)
update_lnorm(dist, beta_log_sl, beta_log_sl_sq)
update_vonmises(dist, beta_cos_ta)
```

Arguments

dist	[amt_distr] The tentative distribution to be updated respective distributions.
beta_sl	[numeric] The estimate of the coefficient of the step length.
beta_log_sl	[numeric] The estimate of the coefficient of the log of the step length.
beta_sl_sq	[character] The name of the coefficient of the square of the step length.
beta_log_sl_sq	[character] The name of the coefficient of the square of log of the step length.
beta_cos_ta	[numeric] The estimate of the coefficient of cosine of the turning angle.

Details

These functions are called internally by [update_sl_distr\(\)](#) and [update_ta_distr\(\)](#). However, those simple functions assume that the selection-free step-length and turn-angle distributions are constant (i.e., they do not depend on covariates). In the case of interactions between movement parameters and covariates, the user will want to manually access these functions to update their selection-free movement distributions.

Value

A distribution

Examples

```

# Fit an SSF, then update movement parameters.

#Prepare data for SSF
ssf_data <- deer %>%
  steps_by_burst() %>%
  random_steps(n = 15) %>%
  extract_covariates(sh_forest) %>%
  mutate(forest = factor(sh.forest, levels = 1:2,
                        labels = c("forest", "non-forest")),
         cos_ta_ = cos(ta_),
         log_sl_ = log(sl_))

# Check tentative distributions
# Step length
attr(ssf_data, "sl_")
# Turning angle
attr(ssf_data, "ta_")

# Fit an iSSF (note model = TRUE necessary for predict() to work)
m1 <- ssf_data %>%
  fit_issf(case_ ~ forest * (sl_ + log_sl_ + cos_ta_) +
          strata(step_id_), model = TRUE)

# Update forest step lengths (the reference level)
forest_sl <- update_gamma(m1$sl_,
                         beta_sl = m1$model$coefficients["sl_"],
                         beta_log_sl = m1$model$coefficients["log_sl_"])

# Update non-forest step lengths
nonforest_sl <- update_gamma(m1$sl_,
                            beta_sl = m1$model$coefficients["sl_"] +
                              m1$model$coefficients["forestnon-forest:sl_"],
                            beta_log_sl = m1$model$coefficients["log_sl_"] +
                              m1$model$coefficients["forestnon-forest:log_sl_"])

# Update forest turn angles (the reference level)
forest_ta <- update_vonmises(m1$ta_,
                            beta_cos_ta = m1$model$coefficients["cos_ta_"])

# Update non-forest turn angles
nonforest_ta <- update_vonmises(m1$ta_,
                                beta_cos_ta = m1$model$coefficients["cos_ta_"] +
                                  m1$model$coefficients["forestnon-forest:cos_ta_"])

```

Description

Update tentative step length or turning angle distribution from a fitted iSSF.

Usage

```
update_sl_distr(
  object,
  beta_sl = "sl_",
  beta_log_sl = "log_sl_",
  beta_sl_sq = "sl_sq_",
  beta_log_sl_sq = "log_sl_sq_",
  ...
)

update_ta_distr(object, beta_cos_ta = "cos_ta_", ...)
```

Arguments

object	[fit_clogit] A fitted iSSF model.
beta_sl	[character] The name of the coefficient of the step length.
beta_log_sl	[character] The name of the coefficient of the log of the step length.
beta_sl_sq	[character] The name of the coefficient of the square of the step length.
beta_log_sl_sq	[character] The name of the coefficient of the square of log of the step length.
...	Further arguments, none implemented.
beta_cos_ta	[character] The name of the coefficient of cosine of the turning angle.

Value

An `amt_distr` object, which consists of a list with the name of the distribution and its parameters (saved in `params`).

Author(s)

Brian J. Smith and Johannes Signer

References

Fieberg J, Signer J, Smith BJ, Avgar T (2020). "A "How-to" Guide for Interpreting Parameters in Resource-and Step-Selection Analyses." *bioRxiv*.

See Also

Wrapper to fit a distribution to data `fit_distr()`

Examples

```

# Fit an SSF, then update movement parameters.

# Prepare data for SSF
ssf_data <- deer %>%
  steps_by_burst() %>%
  random_steps(n = 15) %>%
  extract_covariates(sh_forest) %>%
  mutate(forest = factor(sh_forest, levels = 1:2,
                        labels = c("forest", "non-forest")),
         cos_ta_ = cos(ta_),
         log_sl_ = log(sl_))

# Check tentative distributions
# Step length
sl_distr_params(ssf_data)
attr(ssf_data, "sl_")
# Turning angle
ta_distr_params(ssf_data)

# Fit an iSSF
m1 <- ssf_data %>%
  fit_issf(case_ ~ forest +
          sl_ + log_sl_ + cos_ta_ +
          strata(step_id_))

# Update step length distribution
new_gamma <- update_sl_distr(m1)

# Update turning angle distribution
new_vm <- update_ta_distr(m1)

# It is also possible to use different step length distributions

# exponential step-length distribution
s2 <- deer %>% steps_by_burst() %>%
  random_steps(sl_distr = fit_distr(.$sl_, "exp"))
m2 <- s2 %>%
  fit_clogit(case_ ~ sl_ + strata(step_id_))
update_sl_distr(m2)

# half normal step-length distribution
s3 <- deer %>% steps_by_burst() %>%
  random_steps(sl_distr = fit_distr(.$sl_, "hnorm"))
m3 <- s3 %>%
  mutate(sl_sq_ = sl_^2) %>%
  fit_clogit(case_ ~ sl_sq_ + strata(step_id_))
update_sl_distr(m3)

# log normal step-length distribution
s4 <- deer %>% steps_by_burst() %>%

```

```
    random_steps(sl_distr = fit_distr(.$sl_, "lnorm"))
m4 <- s4 %>%
  mutate(log_sl_ = log(sl_), log_sl_sq_ = log(sl_)^2) %>%
  fit_clogit(case_ ~ log_sl_ + log_sl_sq_ + strata(step_id_))
update_sl_distr(m4)
```

Index

* datasets

- amt_fisher, 4
 - amt_fisher_covar, 5
 - deer, 14
 - sh, 54
 - sh_forest, 55
- amt (amt-package), 3
- amt-package, 3
- amt_fisher, 4
- amt_fisher_covar, 5
- as_degree (convert_angles), 12
- as_ltraj (coercion), 11
- as_move (coercion), 11
- as_moveHMM (coercion), 11
- as_rad (convert_angles), 12
- as_sf_lines, 5
- as_sf_points, 6
- as_sp (coercion), 11
- as_telemetry (coercion), 11
- as_track, 6
- available_distr, 7
- bandwidth_pi, 8
- bandwidth_ref, 9
- bbox, 9
- centroid, 10
- coercion, 11
- convert_angles, 12
- coords, 13
- cum_dist (movement_metrics), 42
- cum_ud, 13
- deer, 14
- diff, 14
- diff_x (diff), 14
- diff_y (diff), 14
- direction_abs (steps), 58
- direction_rel (steps), 58
- dispersal_kernel, 15
- distr_name, 17
- distributions, 16
- extent, 18
- extent_both (extent), 18
- extent_max (extent), 18
- extent_x (extent), 18
- extent_y (extent), 18
- extract_covariates, 19
- extract_covariates_along
(extract_covariates), 19
- extract_covariates_var_time
(extract_covariates), 19
- filter_min_n_burst, 21
- fit_clogit, 21
- fit_ctmm, 22
- fit_distr, 23, 69
- fit_issf (fit_clogit), 21
- fit_logit, 24
- fit_rsf (fit_logit), 24
- fit_ssf (fit_clogit), 21
- from (from_to), 24
- from_to, 24
- get_crs, 25
- get_distr, 26
- habitat_kernel, 26
- has_crs, 28
- hr_akde, 29
- hr_area, 31
- hr_cud (cum_ud), 13
- hr_isopleths, 32
- hr_kde (hr_akde), 29
- hr_kde_lscv, 33
- hr_kde_pi (bandwidth_pi), 8
- hr_kde_ref (bandwidth_ref), 9
- hr_kde_ref_scaled, 34

- hr_locoh (hr_akde), 29
- hr_mcp (hr_akde), 29
- hr_od (hr_akde), 29
- hr_overlap (hr_overlaps), 35
- hr_overlap_feature, 36
- hr_overlaps, 35
- hr_to_sf, 36
- hr_ud, 37
- hrest (hr_akde), 29

- inspect, 38
- intensity_use (movement_metrics), 42

- log_rss, 39, 47

- make_distribution (distributions), 16
- make_exp_distr (distributions), 16
- make_gamma_distr (distributions), 16
- make_hnorm_distr (distributions), 16
- make_lnorm_distr (distributions), 16
- make_track (track), 62
- make_trast (trast), 66
- make_unif_distr (distributions), 16
- make_vonmises_distr (distributions), 16
- mk_track (track), 62
- movement_kernel (habitat_kernel), 26
- movement_metrics, 42
- msd (movement_metrics), 42

- nsd, 43

- od, 44

- palette, 47
- params, 45
- plot.hr, 46
- plot.log_rss, 40, 47
- plot_sl, 48

- random_numbers, 49
- random_points, 50
- random_steps, 51
- range, 53
- range_both (range), 53
- range_x (range), 53
- range_y (range), 53
- raster::pointDistance(), 59
- remove_capture, 54
- remove_capture_effect (remove_capture), 54

- rolling_od (od), 44

- sh, 54
- sh_forest, 55
- sim_ud (habitat_kernel), 26
- simulate_tud (habitat_kernel), 26
- simulate_ud (habitat_kernel), 26
- simulate_ud_from_dk, 55
- simulate_xy, 56
- sinuosity (movement_metrics), 42
- site_fidelity, 56
- sl_distr (get_distr), 26
- sl_distr_name (distr_name), 17
- sl_distr_params (params), 45
- speed, 57
- step_lengths (steps), 58
- steps, 58
- steps_by_burst (steps), 58
- straightness (movement_metrics), 42
- summarize_sampling_rate, 60
- summarize_sampling_rate_many (summarize_sampling_rate), 60

- ta_distr (get_distr), 26
- ta_distr_name (distr_name), 17
- ta_distr_params (params), 45
- tac (movement_metrics), 42
- time_of_day, 61
- to (from_to), 24
- tot_dist (movement_metrics), 42
- track, 62
- track_align, 64
- track_resample, 64
- transform_coords, 65
- transform_crs (transform_coords), 65
- trast, 66

- update_distr_man, 67
- update_exp (update_distr_man), 67
- update_gamma (update_distr_man), 67
- update_hnorm (update_distr_man), 67
- update_lnorm (update_distr_man), 67
- update_sl_distr, 67, 68
- update_ta_distr, 67
- update_ta_distr (update_sl_distr), 68
- update_vonmises (update_distr_man), 67